WEST Search History for Application 10781207

Creation Date: 2008061912:17

Query	DB	Op.	Plur.	Thes.	Date
(7287281 7228563).pn.	USPT	OR	NO	ASSIGNEE	06-19-2008
('5598531' l '5696822' l '5802178' l '5822517' l '6301699' l '6357008' l '6910142')![pn]	USPT, PGPB			ASSIGNEE	06-19-2008
('5598531' l '5696822' l '5802178' l '5822517' l '6301699' l '6357008' l '6910142')![pn]	USPT, PGPB			ASSIGNEE	06-19-2008
('5598531' l '5696822' l '5802178' l '5822517' l '6199181' l '6301699' l '6357008' l '6658571' l '6718414' l '6910142' l '7085928' l '7146305' l '7181603' l '20020083334')![pn]	USPT, PGPB			ASSIGNEE	06-19-2008
(('5598531' l '5696822' l '5802178' l '5822517' l '6199181' l '6301699' l '6357008' l '6658571' l '6718414' l '6910142' l '7085928' l '7146305' l '7181603' l '20020083334')![pn]) or (('5598531' l '5696822' l '5802178' l '5822517' l '6301699' l '6357008' l '6910142')![pn])	PGPB, USPT	OR	NO	ASSIGNEE	06-19-2008
(hook$ and (operating adj system adj function) and (call adj module$1) and (kernel adj address adj space) and call$1 and (driver adj area$1) and protect$ and (malicious adj code)).clm.	PGPB, USPT	OR	NO	ASSIGNEE	06-19-2008
((operating adj system adj function) and (call adj module$1) and (kernel adj address adj space) and stall$ and call$1 and (driver adj area$1) and protect$ and (malicious adj code)).clm.	PGPB, USPT	OR	NO	ASSIGNEE	06-19-2008
((operating adj system) and (call adj module$1) and (kernel adj address adj space) and stall$ and call$1 and (driver adj area$1) and protect$ and (malicious adj code)).clm.	PGPB, USPT	OR	NO	ASSIGNEE	06-19-2008
((operating adj system) and (call adj module$1) and (kernel adj address adj space) and stall$ and call$1 and (driver adj area$1) and protect$).clm.	PGPB, USPT	OR	NO	ASSIGNEE	06-19-2008
((operating adj system) and (call adj module$1) and kernel$1 and address$ and stall$ and call$1 and (driver adj area$1)).clm.	PGPB, USPT	OR	NO	ASSIGNEE	06-19-2008
((operating system) and (call module$1) and kernel$1 and address$ and (delay$ or stop$ or interrupt$ or stall$) and call$1 and (driver adj area$1)).clm.	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008

(function$ and (call module$1) and kernel$1 and (area$1 or address$ or space$1) and (delay$ or stop$ or interrupt$ or stall$) and call$1 and driver$1 and (protect$ or prevent$)).clm.	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
(function$ and module$1 and kernel$1 and (area$1 or address$ or space$1) and (delay$ or stop$ or interrupt$ or stall$) and call$1 and driver$1 and (protect$ or prevent$)).clm.	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((malicious kernel mode buffer) and kernel$1 and (area$1 or address$ or space$1) and (delay$ or stop$ or interrupt$ or stall$) and call$1 and driver$1 and (protect$ or prevent$)).clm.	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((malicious kernel mode buffer) and kernel$1 and (delay$ or stop$ or interrupt$ or stall$) and (protect$ or prevent$)).clm.	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((malicious) and kernel$1 and (delay$ or stop$ or interrupt$ or stall$) and (protect$ or prevent$)).clm.	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((malicious) and (delay$ or stop$ or interrupt$ or stall$) and (protect$ or prevent$)).clm.	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
(726/22,23,24,25,26)![CCLS]	PGPB, USPT	ADJ		ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS]) and (Call module$1) same driver$1 same kernel$1 same memory	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS]) and (Call module$1) same driver$1 same kernel$1	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS]) and (Call$1 or module$1) same driver$1 same kernel$1	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS] and (Call$1 or module$1) same driver$1 same kernel$1) not (((malicious) and (delay$ or stop$ or interrupt$ or stall$) and (protect$ or prevent$)).clm.)	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS] and (Call$1 or module$1) same driver$1 same kernel$1 not ((malicious) and (delay$ or stop$ or interrupt$ or stall$) and (protect$ or prevent$)).clm.) and malicious	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS] and (Call$1 or module$1) same driver$1 same kernel$1 not ((malicious) and (delay$ or stop$ or interrupt$ or stall$) and (protect$ or prevent$)).clm. and malicious) and (delay$ or stop$ or interrupt$ or stall$) same ((operating system) or function$1)	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008

((726/22,23,24,25,26)![CCLS]) and (delay$ or stop$ or interrupt$ or stall$) same ((operating system) or function$1)	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS] and (delay$ or stop$ or interrupt$ or stall$) same ((operating system) or function$1)) and (call module$1 same (driver adj area$1) same (kernel address space$1)	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS] and (delay$ or stop$ or interrupt$ or stall$) same ((operating system) or function$1)) and ((module$1) or (malicious code)) same (driver adj area$1) same (kernel address space$1)	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS] and (delay$ or stop$ or interrupt$ or stall$) same ((operating system) or function$1)) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel address space$1)	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS] and (delay$ or stop$ or interrupt$ or stall$) same ((operating system) or function$1)) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1)	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS]) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel address space$1)	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS]) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1 or (address space$1))	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS] and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1 or (address space$1))) not ((726/22,23,24,25,26)![CCLS] and (delay$ or stop$ or interrupt$ or stall$) same ((operating system) or function$1) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1))	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS]) and (delay$ or stop$ or interrupt$ or stall$) same ((operating system$1) or kernel$1)	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS] and (delay$ or stop$ or interrupt$ or stall$) same ((operating system$1) or kernel$1)) and malicious	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS] and (delay$ or stop$ or interrupt$ or stall$) same ((operating system$1) or	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008

kernel$1) and malicious) and (prevent$ or ptotect$)					
((726/22,23,24,25,26)![CCLS] and (delay$ or stop$ or interrupt$ or stall$) same ((operating system$1) or kernel$1) and malicious) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1 or (address space$1))	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((726/22,23,24,25,26)![CCLS] and (delay$ or stop$ or interrupt$ or stall$) same ((operating system$1) or kernel$1) and malicious and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1 or (address space$1))) not ((726/22,23,24,25,26)![CCLS] and (delay$ or stop$ or interrupt$ or stall$) same ((operating system) or function$1) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1))	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
(713/164,165,166,167,188,189,190)![CCLS]	PGPB, USPT	ADJ		ASSIGNEE	06-19-2008
((713/164,165,166,167,188,189,190)![CCLS]) and (delay$ or stop$ or interrupt$ or stall$) same ((operating system$1) or kernel$1)	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((713/164,165,166,167,188,189,190)![CCLS] and (delay$ or stop$ or interrupt$ or stall$) same ((operating system$1) or kernel$1)) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1 or (address space$1))	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((713/164,165,166,167,188,189,190)![CCLS] and (delay$ or stop$ or interrupt$ or stall$) same ((operating system$1) or kernel$1) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1 or (address space$1))) not ((726/22,23,24,25,26)![CCLS] and (delay$ or stop$ or interrupt$ or stall$) same ((operating system$1) or kernel$1) and malicious and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1 or (address space$1)))	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((713/164,165,166,167,188,189,190)![CCLS]) and (malicious kernel mode buffer)	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((713/164,165,166,167,188,189,190)![CCLS]) and malicious	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
((713/164,165,166,167,188,189,190)![CCLS] and malicious) and (delay$ or stop$ or interrupt$ or stall$) with ((operating system$1) or kernel$1)	PGPB, USPT	ADJ	NO	ASSIGNEE	06-19-2008
		ADJ	NO	ASSIGNEE	06-19-2008

((713/164,165,166,167,188,189,190)![CCLS] and malicious and (delay$ or stop$ or interrupt$ or stall$) with ((operating system$1) or kernel$1)) and (protect$ or prevent$) with (computer$1 or system$1 or driver$1)	PGPB, USPT				
719/$.CCLS. OR 718/$.CCLS. OR 717/$.CCLS. OR 713/$.CCLS. OR 709/$.CCLS. OR 707/$.CCLS. or 726/$.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	NO	ASSIGNEE	06-19-2008
(719/$.CCLS. OR 718/$.CCLS. OR 717/$.CCLS. OR 713/$.CCLS. OR 709/$.CCLS. OR 707/$.CCLS. or 726/$.ccls.) and (delay$ or stop$ or interrupt$ or stall$) with ((operating system$1) or kernel$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	NO	ASSIGNEE	06-19-2008
(719/$.CCLS. OR 718/$.CCLS. OR 717/$.CCLS. OR 713/$.CCLS. OR 709/$.CCLS. OR 707/$.CCLS. or 726/$.ccls. and (delay$ or stop$ or interrupt$ or stall$) with ((operating system$1) or kernel$1)) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1 or (address space$1))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	NO	ASSIGNEE	06-19-2008
(719/$.CCLS. OR 718/$.CCLS. OR 717/$.CCLS. OR 713/$.CCLS. OR 709/$.CCLS. OR 707/$.CCLS. or 726/$.ccls. and (delay$ or stop$ or interrupt$ or stall$) with ((operating system$1) or kernel$1) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1 or (address space$1))) not ((713/164,165,166,167,188,189,190)![CCLS] and malicious and (delay$ or stop$ or interrupt$ or stall$) with ((operating system$1) or kernel$1) and (protect$ or prevent$) with (computer$1 or system$1 or driver$1))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	NO	ASSIGNEE	06-19-2008
(malicious kernel mode buffer)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	NO	ASSIGNEE	06-19-2008
(delay$ or stop$ or interrupt$ or stall$) with	PGPB,	ADJ	NO	ASSIGNEE	06-19-2008

((operating system$1) or kernel$1 or critical or function$1)	USPT, USOC, EPAB, JPAB, DWPI, TDBD				
((delay$ or stop$ or interrupt$ or stall$) with ((operating system$1) or kernel$1 or critical or function$1)) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1 or (address space$1))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	NO	ASSIGNEE	06-19-2008
((delay$ or stop$ or interrupt$ or stall$) with ((operating system$1) or kernel$1 or critical or function$1) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1 or (address space$1))) not (719/$.CCLS. OR 718/$.CCLS. OR 717/$.CCLS. OR 713/$.CCLS. OR 709/$.CCLS. OR 707/$.CCLS. or 726/$.ccls. and (delay$ or stop$ or interrupt$ or stall$) with ((operating system$1) or kernel$1) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1 or (address space$1)) not (713/164,165,166,167,188,189,190)![CCLS] and malicious and (delay$ or stop$ or interrupt$ or stall$) with ((operating system$1) or kernel$1) and (protect$ or prevent$) with (computer$1 or system$1 or driver$1))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	NO	ASSIGNEE	06-19-2008
((delay$ or stop$ or interrupt$ or stall$) with ((operating system$1) or kernel$1 or critical or function$1)) and (protect$ or prevent$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	NO	ASSIGNEE	06-19-2008
((delay$ or stop$ or interrupt$ or stall$) with ((operating system$1) or kernel$1 or critical or function$1) and (protect$ or prevent$)) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	NO	ASSIGNEE	06-19-2008
((delay$ or stop$ or interrupt$ or stall$) with ((operating system$1) or kernel$1 or critical or function$1) and (protect$ or prevent$) and ((module$1) or (malicious code)) same driver$1	PGPB, USPT, USOC, EPAB,	ADJ	NO	ASSIGNEE	06-19-2008

same (location$1 or area$1) same (kernel$1)) not ((delay$ or stop$ or interrupt$ or stall$) with ((operating system$1) or kernel$1 or critical or function$1) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1 or (address space$1)) not 719/$.CCLS. OR 718/$.CCLS. OR 717/$.CCLS. OR 713/$.CCLS. OR 709/$.CCLS. OR 707/$.CCLS. or 726/$.ccls. and (delay$ or stop$ or interrupt$ or stall$) with ((operating system$1) or kernel$1) and ((module$1) or (malicious code)) same driver$1 same (location$1 or area$1) same (kernel$1 or (address space$1)) not (713/164,165,166,167,188,189,190)![CCLS] and malicious and (delay$ or stop$ or interrupt$ or stall$) with ((operating system$1) or kernel$1) and (protect$ or prevent$) with (computer$1 or system$1 or driver$1))	JPAB, DWPI, TDBD				